





 The study area covers five villages and Koshe town in Butajira - Ziway area where JICA boreholes (test wells) drilled as of March 2006 and an existing well is located for Koshe town water supply.

	Study areas:
Wereda	Village/ Town
Mesekan	Kecha BerSemen Shershera
Mareko	= Weja = Kuno Kertafa = Koshe town
Adami Tulu Jido Kombolcha	 Shisho Tora








- requested radiitation support
 Households were selected using systematic random sample technique from obtained lists
 HH survey has been conducted among selected HH by oriented enumerators

- enumerators
 Focus group discussions have been carried out with the representatives of the communities for all project areas
 Field observation have been carried out giving attention to water supply and sanitation situation
- The obtained data have been analyze



	opulation		
Study area	Expected beneficiary population	Targeted beneficiary household	Surveyed household
Shishotora	1470	207	20
Koshe Town and surrounding	987	143	50
Kuno Keretefa	1449	210	20
Keche Bere	1826	265	20
Semene shereshera	2926	424	20

Surveyed HH Edu	cation ba	ck ground	
Study area	Literate %	Illiterate %	
Shishotora	60	40	
Koshe Town and surrounding	77.1	29.9	
Kuno Keretefa	75	25	
Keche Bere	55	45	
Semene shereshera	75	25	

	the second second second second	and the second second	
Surveyeu IIII	by major Ec	onomic indic	ators
Study area (Community)	Average income per year	Average land holding (ha)	Average livestock holding
Shishotora	900	0.85	4
Koshe Town and surrounding	1442	0.5	4
Kuno Keretefa	1250	0.1	5
Keche Bere	1040	1.3	6
Semene shereshera	830	0.5	5

Respond to average time problem	e to protected	d water s	upply poir
	Average time	Mentioned problem area	
tudy area (community)	taken	Distance	Shortage
Shishotora	48 minutes	55.6%	-
Koshe Town and surrounding	33 minutes	-	80%
Kuno Keretefa	20 minutes	46%	
Keche Bere	12 minutes	-	53.8%
Semene shereshera	50 minutes	55.6%	-

HH respond to health	and sanitation	situation		
Study area (community)	Common disease	Diarrhea occurrenc e In the year 1998 E.c	Latrine access	Latrine utilizatio
Shishotora	Malaria	15%	85%	Modera
Koshe Town and surrounding	Malaria	26%	93.5%	Regular
Kuno Keretefa	Malaria	15%	70%	Regular
Keche Bere	ТВ	40%	55%	Modera
Semene shereshera	ТВ	25%	75%	Modera

